


Door Grille

Type AGS-T



TROX[®] TECHNIK

TROX (South Africa) (Pty) Ltd.
10 Wigford Road
Masons Mill
Pietermaritzburg

Tel. +27 (0)33 398 1006
Fax. +27 (0)33 398 1100
email : pmb@troxsa.co.za
Website: www.troxsa.co.za




Contents • Description

Contents and Description	2
Selection Data	3
Order Details	4

Type AGS-T

Non vision grille for supply or return air with fixed inverted vee blades with visible screw fixing (border counter punched).

Type AGS-T




Selection Table

Type AGS-T

H		W																			
I/s	400															400				550	600
	350											350				450			550	650	700
	300								300	350			450	500				600	650	750	850
	250					250										700	750	800	850	950	1050
	200				250	300	350	400		550	600	650	700		850	900	950	1000		1200	
	150	150	200	300	400	450	550	650	750	850	950	1050	1150	1200							
	100	200	300	400	550	700	850	1000	1150	1250											
28	dp	49	23	10.5	<6	<6															
	dB(A)	50	43	35	29	22															
42	dp		54	23	13	8.3	<6	<6	<6												
	dB(A)		51	43	37	33	29	26	22												
56	dp		94	40	23	14	10.5	7.3	<6	<6	<6	<6									
	dB(A)		57	48	43	38	35	32	29	26	24	22									
69	dp			63	36	23	15	12	8.3	6.5	<6	<6	<6	<6	<6						
	dB(A)			53	47	43	39	36	33	31	29	27	26	24	22						
83	dp			94	51	32	23	16.5	13	10.5	8.3	6.5	<6	<6	<6	<6	<6	<6			
	dB(A)			57	72	46	43	40	37	35	33	31	29	27	26	24	22	22			
97	dp				54	46	30	23	16.5	14	10.5	9.3	7.3	6.5	<6	<6	<6	<6	<6	<6	
	dB(A)				94	50	46	43	40	38	35	34	32	31	29	27	26	24	24	22	
111	dp				57	58	40	30	23	18	14	12	10.5	8.3	7.3	6.5	<6	<6	<6	<6	<6
	dB(A)					52	48	46	43	40	38	36	35	33	32	31	29	27	26	24	22
125	dp					75	54	38	29	23	18	15	13	10.5	9.3	8.3	7.3	6.5	<6	<6	<6
	dB(A)					54	51	48	45	43	40	39	37	35	34	33	32	31	29	27	24
139	dp					94	63	49	36	29	23	18	15	13	12	10.5	8.3	7.3	6.5	<6	<6
	dB(A)					57	53	50	47	45	43	40	39	37	36	35	33	32	31	29	27
153	dp						78	58	43	34	29	23	18	16.5	14	12	10.5	9.3	8.3	6.5	<6
	dB(A)						55	52	49	47	45	43	40	40	38	36	35	34	33	31	30
167	dp						94	69	54	40	32	27	23	19.5	16.5	14	13	12	10.5	8.3	6.5
	dB(A)						57	54	51	48	46	45	43	41	40	38	37	36	35	33	31
194	dp							94	72	56	46	36	30	27	23	19.5	16.5	15	14	10.5	9.3
	dB(A)							57	54	51	50	47	46	45	43	41	40	39	38	35	34
222	dp								94	72	58	49	40	34	30	27	23	19.5	18	14	12
	dB(A)								57	54	52	50	48	47	46	45	43	41	40	38	36
250	dp									94	75	61	54	43	38	32	29	25	23	18	15
	dB(A)									57	54	52	51	49	48	46	45	44	43	40	39
278	dp										94	78	63	56	49	40	36	32	26	23	18
	dB(A)										57	55	53	51	50	48	47	46	45	43	40
306	dp											94	78	66	58	51	43	38	34	29	23
	dB(A)											57	55	53	52	51	49	48	47	45	43
333	dp												94	78	69	58	54	46	40	32	27
	dB(A)												57	55	54	52	51	50	48	46	45
361	dp													94	82	69	61	54	49	38	32
	dB(A)													57	55	54	52	51	50	48	46
389	dp														94	82	72	63	56	46	36
	dB(A)														57	55	54	53	51	50	47
417	dp															94	82	72	63	54	43
	dB(A)															57	55	54	53	51	49
444	dp																94	82	72	58	49
	dB(A)																57	55	54	52	50
500	dp																		94	75	61
	dB(A)																		57	54	52
556	dp																			94	78
	dB(A)																			57	55
611	dp																				94
	dB(A)																				57

Order Details

Order Code: AGS-T



Specification Text

Door grilles are required for the transfer of air from one room to another

Material

Door grille manufactured from aluminium

Order Example

Make : TROX
Type : AGS-T/450x250/OP/0/P0/RAL9010